

# basic education

Department:
Basic Education
REPUBLIC OF SOUTH AFRICA

# NATIONAL SENIOR CERTIFICATE

**GRADE 12** 

### **GEOGRAPHY P2**

FEBRUARY/MARCH 2016

**MARKS: 75** 

TIME: 11/2 hours

EXAMINATION							
NUMBER:							
CENTRE							
NUMBER:							

QUESTION NUMBER	Q1	Q2	Q3	Q4	TOT
MARKER					
MODERATOR					
MARK SCORED					
TOTAL	15	20	25	15	75

This question paper consists of 13 pages and 1 page for rough work and calculations.

#### **RESOURCE MATERIAL**

- 1. An extract from topographical map 3126DD QUEENSTOWN.
- 2. Orthophoto map 3126 DD 13 QUEENSTOWN.
- 3. **NOTE:** The resource material must be collected by schools for their own use.


#### INSTRUCTIONS AND INFORMATION

- 1. Write your EXAMINATION NUMBER and CENTRE NUMBER in the spaces on the cover page.
- 2. Answer ALL the questions in the spaces provided in this question paper.
- 3. You are provided with a 1:50 000 topographical map (3126DD QUEENSTOWN) and an orthophoto map (3126 DD 13 QUEENSTOWN) of a part of the mapped area.
- 4. You must hand the topographical map and the orthophoto map to the invigilator at the end of this examination session.
- 5. You may use the blank page at the back of this question paper for all rough work and calculations. Do NOT detach this page from the question paper.
- 6. Show ALL calculations and formulae, where applicable. Marks will be allocated for these.
- 7. Indicate the unit of measurement in the final answer of calculations.
- 8. You may use a non-programmable calculator.
- 9. The following English terms and their Afrikaans translations are shown on the topographical map:

**ENGLISH AFRIKAANS** Aerodrome Vliegveld Karavaanpark Caravan Park College Kollege **Uitgrawings Diggings** Golf Course Gholfbaan Gorge Ravyn (Kloof) Holiday Resort Vakansieoord **Purification Plant** Watersuiweringsaanleg

River Rivier
Sewage Works Rioolwerke
Yacht Club Seiljagklub

#### **GENERAL INFORMATION ON QUEENSTOWN**



Coordinates: 31°54'S 26°53'E

Queenstown is a town in the Eastern Cape in South Africa. It lies on the Komani River, which forms part of the Great Kei system of rivers. Queenstown has a refreshing climate and plentiful water supply from the surrounding rugged mountains. The water is collected in the Bonkolo Dam (the name has been changed from Bongolo Dam recently), set in the hills. This dam is used extensively for recreation and water sports. Close to Queenstown is a nature reserve (Lawrence de Lange Nature Reserve) with numerous antelope, white rhinoceros and spectacular flowering plants, together with panoramic views from the mountain summit. Queenstown has rich sandstone layers deposited by meandering rivers on the flood plain. Queenstown's layout reflects its original objective as a defensive stronghold for the frontier area and has a most unusual design. There is a central hexagonal area where canon or rifle fire could be directed down six thoroughfares radiating from the centre.

[Adapted from http://en.wikipedia.org/wiki/Queenstown, Eastern Cape]

#### **QUESTION 1: MULTIPLE-CHOICE QUESTIONS**

The questions below are based on the 1:50 000 topographical map 3126DD QUEENSTOWN, as well as the orthophoto map of a part of the mapped area. Various options are provided as possible answers to the following questions. Choose the answer and write only the letter (A–D) in the block next to each question.

1.1	Que	Queenstown is situated in the								
	A B C D	Western Cape. Eastern Cape. Northern Cape. Free State.								
1.2	The	numbers <b>3126</b> in the map index refers to								
	A B C D	31' latitude and 26' longitude. 26' latitude and 31' longitude. 26° latitude and 31° longitude. 31° latitude and 26° longitude.								
1.3		direction of trigonometrical station 60 in block <b>F1</b> from spot height 1076 in k <b>J1</b> on the topographical map is								
	A B C D	north-west. east-northeast. north. north-northeast.								
1.4	Wha	t feature indicates that groundwater is found in I6?								
	A B C D	Dam Reservoir Windmill Non-perennial river								
1.5		angle at which the tributaries meet the main stream in <b>C1</b> on the graphical map indicates that the general flow direction of this stream is								
	A B C D	westerly. northerly. easterly. southerly.								
1.6		height of the index contour line in block <b>B10</b> on the topographical map is etres.								
	A B C D	1 095 1 100 1 160 1 200								

1.7	Area	1 on the orthophoto map has a/an street pattern.							
	A B C	unplanned irregular gridiron radial concentric							
	D	planned irregular							
1.8	The drainage pattern in blocks <b>C9/10</b> and <b>D9/10</b> on the topographical map is a pattern.								
	A B C D	parallel centripetal radial trellis							
1.9	What	t is the stream order at point <b>X</b> in block <b>D9</b> ?							
	A B C D	3 2 1 4							
1.10	The landform at <b>R</b> in block <b>I4</b> on the topographical map is a								
	A B C D	pass. saddle. gorge. spur.							
1.11		shadows of the trees at <b>16</b> on the orthophoto map are found in the n-east, indicating that the photograph was taken at							
	A B C D	08:00 16:00 10:00 14:00							
1.12	The r	major primary activity in the mapped area is							
	A B C D	forestry. farming. mining. fishing.							
1.13	Bowk	kerskop, found between points <b>7</b> and <b>8</b> on the orthophoto map, is a							
	A B C D	mesa. cuesta. conical hill. butte.							

1.14		main factor graphical map	_	farming	in	block	<b>A3</b> ,	that	is	evident	on	the	
	A B	pollution. deforestation	n.										
	C D	erosion. overgrazing.											
1.15	Ident	ify feature 14	on the or	thophoto	ma	р.							
	Α	Embankmer	nt										
	В	Mine dump											
	С	Excavation											
	D	Cutting											
		_									(15	x 1)	[15]

Geography/P2 7 DBE/Feb.-Mar. 2016 NSC

## **QUESTION 2: MAP CALCULATIONS AND TECHNIQUES**

2.1		late the magnetic bearing of spot height 1200 (block <b>H5</b> ) from ometrical station 203 in block <b>G6</b> on the topographical map.
	Formu <b>Magn</b>	ula: etic bearing = true bearing + present magnetic declination
	True b	pearing:
	Differe	ence in years:
	Mean	annual change:
	Total	change:
	Magne	etic declination for 2016:
	Magno	etic bearing for 2016:
		$(6 \times 1)$
2.2		to recreational area <b>S</b> on the topographical map and <b>11</b> on the photo map.
	2.2.1	Calculate the area of recreational area <b>S</b> on the topographical map in m <sup>2</sup> . Show ALL calculations. Marks will be awarded for calculations.
		Formula: area = length (L) x breadth (B)
		<del></del>
		(4 x 1)
		(4 × 1)

2.3

	The area of recreational area <b>S</b> on the topographical map is the same as the area of recreational area <b>11</b> on the orthophoto map as it is the same place. Explain why it appears to be larger on the orthophoto map.
	(2 x 1)
	to trigonometrical station 293 in block <b>D6</b> and trigonometrical 187 in block <b>D7</b> and answer the questions that follow.
2.3.1	Calculate the average gradient between trigonometrical station 293 in block <b>D6</b> and trigonometrical station 187 in block <b>D7</b> . Show ALL calculations. Marks will be awarded for calculations.
	Formula: gradient = vertical interval (VI) horizontal equivalent (HE)

	2.3.2	Draw a diagram that illustrates the average gradient, calculated in QUESTION 2.3.1.
		Diagram
		$(2 \times 1)$ (2)
	2.3.3	Give reasons why the gradient calculated in QUESTION 2.3.1 is considered relatively steep.
		(2 x 1) (2) <b>[20</b>
QUEST	ON 3: A	APPLICATION AND INTERPRETATION
3.1	orthoph	owkerskop in the south-eastern section of the orthophoto map. The noto map clearly shows a difference in vegetation density on either side kerskop.
	3.1.1	State, and define, the microclimatological phenomenon responsible for the difference in vegetation density on either side of Bowkerskop.
		(2 x 1) (2)
	242	
	3.1.2	Explain how this microclimatological phenomenon in QUESTION 3.1.1 is responsible for the difference in vegetation density on either side of Bowkerskop.
		(1 x 2) (2)

3.2.1	Name the stream channel pattern of the river in block <b>H1</b> .
	(1 x 1
3.2.2	Give reasons why the stream channel pattern in QUESTION 3.2. developed here.
	(2 x 2
3.2.3	Explain why laminar flow is taking place in block <b>H1</b> .
	(1 x 2
Study	slopes <b>12</b> and <b>13</b> on the orthophoto map.
3.3.1	Give the shape for each of slopes 12 and 13.
	Slope <b>12</b> :
	Slope <b>13</b> :
	(2 x 1
3.3.2	Name the landform formed by slopes 12 and 13.
	(1 x 1
Study	the residential area Blue Rise in blocks <b>D5</b> and <b>D6</b> .
	n how the size of the plots and the location of Blue Rise indicate that igh-income residential area.


3.5.1	Define the term gan town
	Define the term <i>gap town</i> .
	(1 x 1
3.5.2	State ONE economic advantage of the location of Queenstown.
	(1 x 2
3.5.3	State ONE environmental disadvantage of the location o Queenstown.
	(1 x 2
V	·
	re a town and city planner. It is required of you to evaluate the astown area regarding its tourism potential.
Why w	vould you promote Queenstown as a tourist destination?
Why w	ould you promote Queenstown as a tourist destination?
Why w	ould you promote Queenstown as a tourist destination?
Why w	
Why w	vould you promote Queenstown as a tourist destination?  (2 x 1
ON 4:	(2 x 1
ON 4:	(2 x 1 GEOGRAPHICAL INFORMATION SYSTEMS (GIS)
<b>ON 4:</b> The or	(2 x 1  GEOGRAPHICAL INFORMATION SYSTEMS (GIS)  thophoto map shows a high resolution.
<b>ON 4:</b> The or	(2 x 1  GEOGRAPHICAL INFORMATION SYSTEMS (GIS)  thophoto map shows a high resolution.
<b>ON 4:</b> The or	(2 x 1  GEOGRAPHICAL INFORMATION SYSTEMS (GIS)  thophoto map shows a high resolution.
<b>ON 4:</b> The or	(2 x 1  GEOGRAPHICAL INFORMATION SYSTEMS (GIS)  thophoto map shows a high resolution.  Explain the term resolution.
ON 4: The or 4.1.1	GEOGRAPHICAL INFORMATION SYSTEMS (GIS) thophoto map shows a high resolution.  Explain the term resolution.  (1 x 1

4.1.3	Why can one say that the orthophoto map is an example of raste data?
	(1 x 1)
erosion	the increase in farming in block <b>A8</b> , the possibility of increased is very likely. The local municipality can use remote sensing to the impact of erosion on the Bonkolo Dam.
4.2.1	Explain the term remote sensing.
	(1 x 1
4.2.2	Explain how the local municipality will use remote sensing to monitor
	the negative impact of the increased erosion on the Bonkolo Dam.
	the negative impact of the increased erosion on the Bonkolo Dam.
<b>T</b> in blo	the negative impact of the increased erosion on the Bonkolo Dam.  (2 x 2)  ave a choice between TWO sites on which to build a shopping mall:
<b>T</b> in blo	the negative impact of the increased erosion on the Bonkolo Dam.  (2 x 2)  ave a choice between TWO sites on which to build a shopping mall: bck <b>B3</b> and <b>U</b> in block <b>E7</b> .  Give TWO data layers, evident on the topographical map, that you would use to assist you in making your choice.
<b>T</b> in blo	the negative impact of the increased erosion on the Bonkolo Dam.  (2 x 2)  ave a choice between TWO sites on which to build a shopping mall: bck <b>B3</b> and <b>U</b> in block <b>E7</b> .  Give TWO data layers, evident on the topographical map, that you would use to assist you in making your choice.  (2 x 1)
<b>T</b> in blo	the negative impact of the increased erosion on the Bonkolo Dam.  (2 x 2)  ave a choice between TWO sites on which to build a shopping mall: bck <b>B3</b> and <b>U</b> in block <b>E7</b> .  Give TWO data layers, evident on the topographical map, that you would use to assist you in making your choice.

4.4 The plan view sketch of a part of Queenstown below is an example of data integration.

13

**NSC** 



4.4.1 Explain the term data integration.

(1 x	

4.4.2 Name TWO sources that could have been used to obtain information to produce this sketch map.

\_\_\_\_\_

(2 x 1) (2)

4.4.3 State ONE problem that a cartographer could have experienced when producing this sketch map.

(1 x 1) (1) **[15]** 

TOTAL: 75

# **ROUGH WORK AND CALCULATIONS**

(NOTE: Do NOT detach this page from the question paper.)